





INPUT

VOLUME

TONE
XLR1 -30.5dB

ESOTERIC

POWER

OPEN

MUTE

PHONES

F-03A



INPUT

VOLUME

TONE
XLR1 -30.5_{dB}

BASS

MIDDLE

TREBLE

TONE
BYPASS

PHONO
MM/MC

SPEAKER
SELECT

BALANCE

POWER

OPEN

MUTE

PHONES


F-03A



THIS DEVICE COMPLIES WITH PART 15 OF THE FCC RULES. OPERATION IS SUBJECT TO THE FOLLOWING TWO CONDITIONS:
1) THIS DEVICE MAY NOT CAUSE HARMFUL INTERFERENCE, AND 2) THIS DEVICE MUST ACCEPT ANY INTERFERENCE RECEIVED, INCLUDING INTERFERENCE THAT MAY CAUSE UNDESIRABLE OPERATION.

CAN ICES 3081(MB)-2(81)

B SPEAKERS A



SPEAKER IMPEDANCE
(A or B 40-160)
(A + B 80-160)
CLASS 2 WIRING

INPUTS




EXT. PRE IN



PRE OUT/REC OUT

ROTHERIC
SERIAL NO. []
ELECTRONIC CHANNELS MADE IN JAPAN

B SPEAKERS A



SPEAKER IMPEDANCE
(A or B 40-160)
(A + B 80-160)
CLASS 2 WIRING



CAUTION
HIGH VOLTAGE
ATTENTION
HAUT TENSION
RE NE PAS TOUCHER





POWER

CLASH
MODE

1. 03:10

1 2 3 4 5 6 7 8 9 0

INPUT

INPUT

POWER

TONE
XLR1 -30.5dB
ESOTERIC

VOLUME

VOLUME

MUTE PHONES

F-03A

