









LINE IN R

DIGITAL IN

TRIGGER

RS-232C

LINE IN L

SIGNAL GND

~ IN

LINE 2

LINE 1

XLR

IN OUT

USB DRIVE

LINE 2

LINE 1

⏏

RCA

ESL-A XLR

ESL-A PRE OUT

SOFTWARE

2 COAXIAL 1

10MHz IN

USB

RCA

ESL-A XLR

ESL-A PRE OUT

Esoteric

SERIAL NO.

ESOTERIC COMPANY

MADE IN JAPAN

MQA



THIS DEVICE COMPLIES WITH PART 15 OF THE FCC RULES. OPERATION IS SUBJECT TO THE FOLLOWING TWO CONDITIONS: (1) THIS DEVICE MAY NOT CAUSE HARMFUL INTERFERENCE, AND (2) THIS DEVICE MUST ACCEPT ANY INTERFERENCE RECEIVED, INCLUDING INTERFERENCE THAT MAY CAUSE UNDESIRABLE OPERATION.

CAN ICES-3(B)/NMB-3(B)

LINE OUT R

2 OPTICAL 1

CLOCK

LINE OUT L



STANDBY/ON

PHONES

CLOCK

NET
▶
DSD

ESLA

22.5MHz

ESOTERIC

OUTPUT

INPUT

MENU

<

>

VOLUME

N-05XD

