









TEAC

MC (Ω) 1k MM (pF)

470 0
220 100
100 220
47 330
22 10



EQ CURVE

RIAA

DECCA

COLUMBIA

MONO

SUBSONIC

DEMAG

METER

MEASURE

PE-505



MC (Ω) 1K MM (pE)

470

0

20

100

0

220

47

330

22

DEMAG

10

METER



MEASURE

EQ CURVE

RIAA

DECCA

COLUMBIA



ARM LIFT

0 45 78



- 1. COMMON
- 2. HOT (+)
- 3. COLD (-)

XLR

R

FRAME GND

L

XLR

RCA

RCA

XLR

R

L

XLR

RCA

RCA

CAN ICES-3 (B) /
NMB-3 (B)

INPUTS

LINE OUT

APPRÄTEN SKALL ANSLUTAS
TILL JORDAT UTÅG.

~ IN

SERIAL
NO. PP20005



ortofon

CARBON FIBRE DIGITAL SCALE
MODEL DS-3
PRECISION 4.5V 1.5V PRE-AMPLIFIER GALVAN

1.78

TARE Capacity: 200g x 0.01g
UNIT PCS
Power button











DC IN 12V

ON
STANDBY



TEAC

TN-5BB

**ANALOG TURNTABLE
PLATINE TOURNE-DISQUE ANALOGIQUE**



B
Black Box







hana
SL





和紙

“WASHI”
Reversible Turntable Sheet



— Un-Ryū —

TEAC

teac.jp