

AURALiC  
inspire the music





M  
55

W20



Amplifiers provided by Counterforce Audio  
Please visit website for more information  
for further information

W20  
audience

29.0





# aurender

REFERENCE MUSIC SYSTEMS

## X100 Digital Music Player Specifications

Model	Aurender X100L	Aurender X100S
Supported Formats	DSD (DIFF/DSF), AIFF, ALAC, FLAC, WAV, M4A, APE and others Aurender Conductor for iPad/iPad Mini*	DSD (DIFF/DSF), AIFF, ALAC, FLAC, WAV, M4A, APE and others Aurender Conductor for iPad/iPad Mini*
User Software	AMOLED	AMOLED
Display	3TB x 2	1TB (2.5 in) x 1
Hard Drive	120GB	120GB
Solid-state Drive	Custom USB Audio Class 2.0 port	Custom USB Audio Class 2.0 port
Digital Audio Output	1 Gigabit LAN, 2 x USB 2.0	1 Gigabit LAN, 2 x USB 2.0
Digital IO	100W	100W
SMPS	4G	4G
Main Memory	Proprietary design	Proprietary design
CPU Board	7.5kg	5kg
Weight	215mm x 83mm x 355mm	215mm x 83mm x 257mm
Dimensions		

Prices and specifications are subject to change without notice.  
\*iPad and iPad Mini are trademarks of Apple Inc.



5299

INTERNATIONAL CES  
**INNOVATIONS**  
DESIGN AND ENGINEERING  
AWARDS

PRESENTED TO

**AURALIC LIMITED**  
GEMINI 2000 | High-Resolution DSD  
High Performance Music Audio

**2014**  
HONOREE









High Fidelity Audio Component  
Model / 型番 / 型号 : AUR-X100L  
Input / 入力 / 電圧 : 100-240V-50/60Hz 0.5A  
Made in Korea / 韓国製  
TYLagie Co., Ltd. RoHS CE PS CCC

TYLagie  
MODEL AUR-X100L  
X100LM0052  
TYLagie Co., Ltd. / www.tylagie.co.kr

CAUTION / 警告  
RISK OF ELECTRIC SHOCK  
DO NOT OPEN / 電気ショックの危険  
開けず

USB AUDIO  
5V-1.0A

734 127-04-03  
90 700-04-03

LAN  
USB 1  
5V-0.5A  
USB 2  
5V-0.5A