

SWISS MADE AUDIO EXCELLENCE



ZenSati
Connecting music



ZenSati Seraphim

CH



www.ch-precision.com

is Vivaldi's GEM the best
Inexpensive I have ever heard? - YES!

"When listening matters"

mark-johansen.com

Listen
by Mark Johansen





CH-PRECISION
www.ch-precision.com

CH-PRECISION
www.ch-precision.com



SHELLACON
REFERENCE

STENHEIM

SWISS MADE AUDIO EXCELLENCE









www.artsoundsystem.com

www.ch-precision.com

mark-joha





AI Amplifier

- Class D push-pull
- 100W x 2 @ 8Ω
- 150W x 2 @ 4Ω
- 200W x 2 @ 2Ω


Power

- 100W x 2 @ 8Ω, 100W x 2 @ 4Ω
- 150W x 2 @ 4Ω, 150W x 2 @ 2Ω
- 200W x 2 @ 2Ω

© 2018 AI Amplifier

139 W

AI



zensati Serrahim

www.artandsoundgallery.ch

www.ch-precis...

Hi-Fi Audio
www.artandsoundgallery.ch

Hi-Fi Audio
www.artandsoundgallery.ch

-CH-

ANALOG IN 4.5 dB
PHONO
C1



solidsteel!

-CH-

CD
12 ▶ 0:01:36
@ 192.0 kHz
D1



-CH-

A1 Amplifier


2 channels analog amplifier
Stereo/bridge/bi-amp modes
Fully discrete analog stages
Variable local/global feedback ratio

Power:

- 2x100W or 1x250W under 8 Ω load
- 2x175W or 1x600W under 4 Ω load
- 2x300W or 1x800W under 2 Ω load

<http://www.ch-precision.com>

-CH-





CH

PRECISION

precision.com

CH

PRECISION

www.ch-precision.com

Small white informational card on the left stack of components.

Small white informational card on the right stack of components.



PRECISION
DESIGN
ABSOLUTE
PRECISION
SOUND
LUXURY
ELEGANCE
HAUTE
COUTURE
INVENTIVE
EXCLUSIVE
DESIGN

www.ch-precision.com



CH
CI D/A controller
DSP based digital controller to convert
Linear power supplies for all sections
Fully discrete analog stage
Set options:
- Digital inputs, up to 3 boards
- DSD synchronous input, up to 2 boards
- Efficient cleaning, air-circulation inside
- External synchronization
<http://www.ch-precision.com>

CH
D1 SACD / CD drive
100% S reading mechanism from Estote's
Modular design up to 8 channels
Linear power supplies for all sections
Set options:
- Pair of digital outputs, up to 4 boards
- Pair of analog outputs, up to 4 boards
- Biamped analog output, up to 2 boards
- External synchronization
<http://www.ch-precision.com>





CH

FLAC 44.1 > 705.6 kHz -24.0 dB
Eg anda
Sigur Ros
▶ 03:05 03:10 C1



solidsteel

CH

CD 12 TOTAL 1:10:18 D1
INTERNAL



solidsteel

CH
A1 Amplifier
2 channel stereo amplifier
Power Range: 5w any mode
Fully discrete analog stages
Variable load (global feedback only)

Power:
1x100W or 1x150W under 8Ω load
1x175W or 1x200W under 4Ω load
1x200W or 1x250W under 2Ω load

<http://www.ch-gonion.com>



CH
A1 Amplifier
2 channel stereo amplifier
Power Range: 5w any mode
Fully discrete analog stages
Variable load (global feedback only)

Power:
1x100W or 1x150W under 8Ω load
1x175W or 1x200W under 4Ω load
1x200W or 1x250W under 2Ω load

<http://www.ch-gonion.com>





ch-

INVENTIVE
SOUNDUAL
EXCLUSIVE
PRECISION



DESIGN
ELEGANCE
ABSOLUTE
HAUTE
COUTURE
PRECIOUS
INVENTIVE
SOUNDUAL
EXCLUSIVE
LUXURY
DESIGN
ELEGANCE
ABSOLUTE
HAUTE
COUTURE
PRECIOUS
INVENTIVE
SOUNDUAL
EXCLUSIVE
PRECISION
EXCLUSIVE
DESIGN
ELEGANCE
ABSOLUTE




www.ch-precision.com




CI D/A controller
D/A convert digital controller to convert
linear power supplies for all sections
Fully discrete analog stages
Six options:
- Digital inputs, up to 3 bands
- IIR equalisation inputs, up to 2 bands
- Balanced driving, zero-phase mode
- External synchronisation
<http://www.ch-precision.com>




D1 SACD / CD drive
1888 2 reading mechanism from Future
Modular design up to 6 channels
Linear power supplies for all sections
Six options:
- Filter of digital inputs, up to 3 bands
- Pair of reading sections, up to 2 bands
- Balanced reading, zero-phase mode
- External synchronisation
<http://www.ch-precision.com>



<http://www.gpi.com>

<http://www.gpi.com>



AI Amplifier

2 channel audio amplifier
 Stereo/mono/TV audio outputs
 100W stereo/50W mono
 Includes remote control

Power:
 2x100W or 1x200W stereo 8Ω load
 50x100W or 1x200W stereo 16Ω load
 1x200W or 1x400W mono 16Ω load

<http://www.gpi.com>

AI Amplifier

2 channel audio amplifier
 Stereo/mono/TV audio outputs
 100W stereo/50W mono
 Includes remote control

Power:
 1x100W or 1x200W stereo 8Ω load
 50x100W or 1x200W stereo 16Ω load
 1x200W or 1x400W mono 16Ω load

<http://www.gpi.com>



CD-
E13A Verstärker
Die Verstärker werden in einem
hochwertigen Gehäuse gefertigt
und sind für die Verbindung
mit allen gängigen
Lautsprechern geeignet.
www.schwarztechnik.de

CD-
M20-100 Stereo
www.schwarztechnik.de

CD-
E1 Verstärker
Die Verstärker werden in einem
hochwertigen Gehäuse gefertigt
und sind für die Verbindung
mit allen gängigen
Lautsprechern geeignet.
www.schwarztechnik.de

CD-
E1 Verstärker
www.schwarztechnik.de



PHILATON
REFERENCE



PHILATON
REFERENCE

PHILATON
REFERENCE