

DS Audio DS-Master I

Photoelektrischer Tonabnehmer
Aufwendiges Versorgungssystem mit EQ-Phasenschieber
je 3 Linien-Ausgänge (S, C, A, T, D) mit 30kV Ausgang
Kern-Relais-Steuerung
Bass-Hochfilter
Nadelabwärtswinkel 1,2mm (mit)
Empfohlene Auflagekraft: 1,3 - 1,7 Gramm

EUR 22.000,-


DS MASTER I

WE WILL CREATE THE SOUND
OF YOUR HEART

DS Audio

STEREO

DS MASTER I



DS Audio

DS 002 Cartridge




The DS 002 cartridge is a high-end audio component designed to provide the most accurate reproduction of the original recording. It features a precision-machined aluminum body and a custom-designed magnetic circuit that ensures the most accurate reproduction of the original recording.

The DS 002 features an aluminum cartridge and head. The DS 002 is a high-end audio component designed to provide the most accurate reproduction of the original recording. It features a precision-machined aluminum body and a custom-designed magnetic circuit that ensures the most accurate reproduction of the original recording.

The DS 002's magnetic system is placed over the tape lip, together with a specially designed under-exaggeration system to limit the amplitude of the signal to a level that is safe for the tape. This design, combined with a custom-designed magnetic circuit, provides the most accurate reproduction of the original recording.

Finally, the cartridge is customarily positioned within the body of the DS 002. The DS 002 is a high-end audio component designed to provide the most accurate reproduction of the original recording. It features a precision-machined aluminum body and a custom-designed magnetic circuit that ensures the most accurate reproduction of the original recording.



The DS 002 is a high-end audio component designed to provide the most accurate reproduction of the original recording. It features a precision-machined aluminum body and a custom-designed magnetic circuit that ensures the most accurate reproduction of the original recording.


The DS 002 features an aluminum cartridge and head. The DS 002 is a high-end audio component designed to provide the most accurate reproduction of the original recording. It features a precision-machined aluminum body and a custom-designed magnetic circuit that ensures the most accurate reproduction of the original recording.

The DS 002's magnetic system is placed over the tape lip, together with a specially designed under-exaggeration system to limit the amplitude of the signal to a level that is safe for the tape. This design, combined with a custom-designed magnetic circuit, provides the most accurate reproduction of the original recording.


Finally, the cartridge is customarily positioned within the body of the DS 002. The DS 002 is a high-end audio component designed to provide the most accurate reproduction of the original recording. It features a precision-machined aluminum body and a custom-designed magnetic circuit that ensures the most accurate reproduction of the original recording.



DS Audio



DS MASTER 1




DS Audio DS-Master I

Photooptischer Tonabnehmersystem,
Aufwändiges Versorgungsteil mit EQ-Phonovorstufe
je 3 Line-Ausgänge (RCA/XLR) mit 500mV Ausgang
Micro-Ridge Headshell
Bor-Häuteträger
Nadelnachgelagerter 12µm / mH,
Empfohlene Auflagekraft: 1,3 - 1,7 Gramm



EUR 22.000,-

DS MASTER I



DS Audio DS-Master I

- Vollverstärkter Stereo-Verstärker
- 2 x EL34-Endröhre (2 x 20W)
- 2 x EL84-Phono-Endstufe (2 x 10W)
- 2 x EL84-Gepl. Endstufe (2 x 10W)
- 2 x EL84-Gepl. Endstufe (2 x 10W)
- 2 x EL84-Gepl. Endstufe (2 x 10W)

DS Audio



DS Audio

DS MASTER I

DS 002





The DS 002 is a high-performance audio component that features a custom PCB and a variety of high-quality components. It is designed to provide superior sound quality and is a popular choice among audiophiles. The DS 002 is available in both silver and black finishes and is priced at \$1,999.99. For more information, please visit our website at www.ds-audio.com.

DS 002 Cartridge


Following the DS 002, the DS 002 is equipped with a custom PCB and a variety of high-quality components. The DS 002 features an aluminum cantilever and a newly developed wire-suspension system. The new position of the optical screen in a cartridge design, providing a much more accurate reproduction of the music recorded on the groove information and contribution.

The DS 002's optical screen is placed near the cartridge design, providing a much more accurate reproduction of the music recorded on the groove information and contribution.

Notably, the cantilever is more precisely developed wire-suspension system. This new structure provides a higher level of accuracy in the reproduction of the music recorded on the groove information and contribution.

Notably, the cantilever is more precisely developed wire-suspension system. This new structure provides a higher level of accuracy in the reproduction of the music recorded on the groove information and contribution.





TNS Audio