





ESOTERIC

NET
DSD 22.5MHz
CLK in 10M F0FF XL R2

POWER

CLOCK

INPUT

MENU

N-01XD



EGOTERIC

POWER



CLOCK



NET

CLKin10M F0FF XLR2

DSD

22.5MHz

INPUT



MENU



N-01XD



XLR/ESL-A

RCA



CLOCK


OUT

10MHz IN



ETHERNET

USB DRIVE
(5V 0.5A)



USB

R


ES-LINK

L



XLR/ESL-A

RCA



LINE OUT R

DIGITAL IN

LINE OUT L

RCA 2

RCA 1



SOFTWARE

OPTICAL

XLR



~IN

SIGNAL GND



AA MQA

THIS DEVICE COMPLIES WITH PART 15 OF THE FCC RULES. OPERATION IS SUBJECT TO THE FOLLOWING TWO CONDITIONS: (1) THIS DEVICE MAY NOT CAUSE HARMFUL INTERFERENCE, AND (2) THIS DEVICE MUST ACCEPT ANY INTERFERENCE RECEIVED, INCLUDING INTERFERENCE THAT MAY CAUSE UNDESIRABLE OPERATION.

CAN ICES-3(B)/NMB-3(B)

ESOTERIC

SERIAL NO.

ESOTERIC COMPANY MADE IN JAPAN

