









INPUT

VOLUME

ESLA1 -30.8

F-01

Esoteric



INPUT

VOLUME

PHONO^{MC} -30.8^{HP-SAL}

F-01

OUTPUT

MENU

<

>

ESLA1 -30.8

ESOTERIC



INPUTS

ESL-A 3 XLR 3
ESL-A 2 XLR 2
ESL-A 1 XLR 1

RCA 3 RCA 2 RCA 1 PHONO

PRE OUT

XLR ESL-A

THIS DEVICE COMPLIES WITH PART 15 OF THE FCC RULES. OPERATION IS SUBJECT TO THE FOLLOWING TWO CONDITIONS: (1) THIS DEVICE MAY NOT CAUSE HARMFUL INTERFERENCE, AND (2) THIS DEVICE MUST ACCEPT ANY INTERFERENCE RECEIVED, INCLUDING INTERFERENCE THAT MAY CAUSE UNDESIRABLE OPERATION.

CAN ICES-003(B)/NMB-003(B)

ESOTERIC
SERIAL NO.
ESOTERIC COMPANY MADE IN JAPAN

SPEAKER R

+ -

SPEAKER IMPEDANCE(4Ω-16Ω)
CLASS 2 WIRING

OPTION BOARD SLOT

DC IN

~IN

SPEAKER L

- +

SPEAKER IMPEDANCE(4Ω-16Ω)
CLASS 2 WIRING

