





ESOTERIC



ESOTERIC



POWER









INPUTS

XLR R RCA R

PUSH

2 1
3

1. COMMON
2. HOT (+)
3. COLD (-)

+ SPEAKER -

R

SPEAKER

⚡

SPEAKER IMPEDANCE (4-16Ω)
CLASS 2 WIRING

LED



AUTO POWER SAVE

OFF ON

⏻ ⏻

INPUT SELECTOR

XLR RCA

⏻ ⏻

SIGNAL GND



~ IN



INPUTS

RCA L XLR L

PUSH

2 1
3

1. COMMON
2. HOT (+)
3. COLD (-)

- SPEAKER +

L

SPEAKER

⚡

SPEAKER IMPEDANCE (4-16Ω)
CLASS 2 WIRING



THIS DEVICE COMPLIES WITH PART 15 OF THE FCC RULES. OPERATION IS SUBJECT TO THE FOLLOWING TWO CONDITIONS: (1) THIS DEVICE MAY NOT CAUSE HARMFUL INTERFERENCE, AND (2) THIS DEVICE MUST ACCEPT ANY INTERFERENCE RECEIVED, INCLUDING INTERFERENCE THAT MAY CAUSE UNDESIRABLE OPERATION.

CAN ICES-3(B)/NMB-3(B)



ESOTERIC
SERIAL NO. _____
ESOTERIC COMPANY MADE IN JAPAN