


Isotek®

# IsoTek<sup>®</sup> | PERFORMANCE

## MAXIMISE YOUR ENTERTAINMENT

Without mains power, no audio or audio-visual component can function. Your musical enjoyment is reduced by mains noise contamination – this can be from either Differential or Common Mode mains noise. Differential noise is created by the power supplies in all electronic devices, while Common Mode noise is introduced by RFI and the wireless communications that are becoming increasingly common.

With the Performance range you will hear significantly better sound quality, with more detail and greater dynamic range. All of your components will be improved and protected, allowing you to realise the best possible performance whenever you listen.



**YOUR SYSTEM VALUE**




£1,500 - £5,000

# EV03 AQUARIUS



Hi Fi World  
5 Globe Winner 2011



One of the most cost-effective upgrades you can buy for any high-quality audio system, Aquarius is a multi-award-winning six-way mains conditioner that redefined the power cleaning market. Two high-current outlets are provided for amplifiers, subwoofers and so on, with four medium-current sockets for other components.

- Removes Common Mode and Differential Mode mains noise.
- RFI Reduction 60dB.
- Six unique conditioning stages ensure optimal isolation between all outlets, eliminating Differential Mode cross-contamination.
- KERF® (Kirchoff's Equal Resistance Path) ensures equal resistance and equal power delivery to all outlets. No outlet gets power before the next, a common problem with other power products which daisy chain outlets together.
- 67,500A of instantaneous protection, featuring IsoTek's unique sequential protection system.
- Internal wiring; solid core silver plated OFC copper with FEP and virtual air dielectric technology.
- Two high-current outlets delivering 3,680W continuous. Four medium-current outlets delivering 1,150W continuous.
- Available in UK, EU, US, AU, CH and ZA sockets.


“The lift in performance is quite remarkable.”

HI-FI CHOICE MAGAZINE

“An effective improvement to a good hi-fi system, this serious product justifies its price.”

HI-FI WORLD MAGAZINE

## EV03 SOLUS




IsoTek's most affordable rack-width component conditioner improves audio and audio-visual electronics whilst fitting neatly into a hi-fi rack – an award-winning, simple and effective way to upgrade the sound of your hi-fi.

- Removes Common Mode and Differential Mode mains noise.
- RFI reduction 45dB.
- Independent outlets – no outlets are connected together, stopping Differential Mode cross-contamination.
- Unique Individual Differential Gate® filter network improves the isolation between each of the six outlets, further eliminating cross contamination.
- KERP® (Kirchoff's Equal Resistance Path) ensures equal resistance and equal power delivery across all outlets. No outlet gets power before the next, a common problem with other power products which daisy chain outlets together.
- 22,500A of instantaneous protection, featuring IsoTek's unique sequential protection system.
- Internal wiring; multi-strand silver plated OFC copper with PTFE dielectric.
- Maximum power, continuous 2,300W.
- Available in UK, EU, US, AU, CH and ZA sockets.

“Want clean mains to power your hi-fi? IsoTek's range of passive mains conditioners promises you all that and more. Try it in your own home to fully experience the benefits, once you've done so, we're convinced you'll be hooked.”

**HI-FI CHOICE MAGAZINE**

## EV03 SIRIUS



## EV03 SYNCRO



Sirius is a high-performance, multi-award-winning power bar, which protects and improves your precious audio components. A special wall bracket system allows Sirius to be mounted discretely behind your audio system.

- Removes Common Mode and Differential Mode mains noise.
- RFI reduction 40dB.
- Independent outlets – no outlets are connected together, stopping Differential Mode mains noise cross-contamination.
- Unique Inductive Resistance Gate® optimises the isolation between each of the six outlets.
- KERF® (Kirchoff's Equal Resistance Path) ensures equal resistance and equal power delivery to all outlets. No outlet gets power before the next, a common problem with other power products which daisy chain outlets together.
- 22,500A of instantaneous protection, featuring IsoTek's unique sequential protection system.
- Internal wiring; multi-strand silver plated OFC copper with PTFE dielectric.
- Maximum power, continuous 2,300W.
- Available in UK, EU, US, AU, CH and ZA sockets.

The most sophisticated power cable available, featuring IsoTek's highly regarded 2.5mm OFC conductor actively shielded power cable and incorporating unique DC-cancelling electronics that rebalance the mains sine wave. Each cable is terminated with high-quality 24ct gold audiophile grade connectors.

- Rebalances mains sine wave on zero volts line.
- Uniquely removes harmful DC from the mains supply.
- 16A rating allows use with all audio electronics.
- Protects against harmful RFI and EMI.
- Can be used with all power conditioning solutions, including IsoTek.
- Available in UK, EU, US, AU versions with C7, C15, C19 and Neutrik terminations.

Building the foundations  
for great sound



PERFORMANCE