

SMART Power
Powerful Innovation



SMART Power

Powerful Innovation

IsoTek was born with a singular aim:

to create a better solution to the problem of poor mains quality, which restricts the performance of all audio and AV systems. Through rigorous research and genuine innovation an award-winning range was created. IsoTek SMART Power continues this quest.

For almost two decades IsoTek has been designing an international multi award-winning range of products that supply clean, fully optimised power to all manner of audio and AV equipment, from amps and source components to TVs and projectors, enhancing performance and protecting valuable equipment.

IsoTek SMART Power combines the company's power cleaning know-how with full programmability. Three models, Alpha, Beta and Theta, offer custom installers power management and safety control through RS232, LAN, Bluetooth and over WiFi with an iOS or Android Smartphone App.

KEY FEATURES

- Assign a name to each outlet that matches the connected electronics
- Turn on / off each outlet independently
- Remote reboot and sequential start-up
- Manage power usage and overview power consumption
- Control each outlet independently with date and time start-up
- Combine units and set unique group names
- Programmable delay times between each outlet upon start-up
- Protection against power surges and voltage spikes
- Cleans power line for greater system performance and reliability
- Control through RS232, LAN, Bluetooth and over WiFi with a Smartphone App



OF AWARD
WINNING
EXCELLENCE



2016 PLUS X Award
MOST INNOVATIVE BRAND



2016/2017 PLUS X Award
Best Product, Innovation, High Quality,
Design, Ease of Use & Functionality
IsoTek EVO3 Mosaic Genesis



2016/2017 PLUS X Award
Best Product, Innovation,
High Quality, Design & Functionality
IsoTek EVO3 Venus



2016/2017 PLUS X Award
Best Product, Innovation,
High Quality, Design & Functionality
IsoTek EVO3 Syncro



2016/2017 PLUS X Award
Best Product, Innovation,
High Quality & Functionality
IsoTek EVO3 Sirius



2016/2017 PLUS X Award
Best Product, Innovation,
High Quality & Functionality
IsoTek EVO3 Sequel



2016 i-fidelity.net
Top Price Choice
IsoTek EVO3 Initium



2016 i-fidelity.net
Very Good
IsoTek EVO3 Initium



2016 Hi-Fi Choice
5-Star Winner
IsoTek EVO3 Initium



2016 Hi-Fi Choice
Recommended
IsoTek EVO3 Initium



2016 i-fidelity.net
Editor's Choice Award
IsoTek EVO3 Sigmas



2016 i-fidelity.net
Outstanding
IsoTek EVO3 Sigmas



2016 Lite Magazine
Recommended
IsoTek EVO3 Initium



2016 Hi-Fi World
5 Globe Winner
IsoTek EVO3 Initium



2016 Lite Magazine
Recommended
IsoTek EVO3 Venus



2016 Hi-Fi Plus
Power Conditioner
IsoTek EVO3 Mosaic Genesis



2016 Audio
Accessory Magazine
Gold Grand Prix Award
IsoTek EVO3 Aquarius



2015 Hi-Fi Magazine HK
Product of the Year
IsoTek EVO3 Syncro



2015 Sempre Audio
IsoTek EVO3 Aquarius



2015 Lite Magazine
Recommended
IsoTek EVO3 Sequel



2015/2016 PLUS X Award
Best Product, Innovation, High
Quality, Design & Functionality
IsoTek EVO3 Aquarius





2015 Rocky Mountain International Hi-Fi Press Awards
Winner Power Conditioner Category
IsoTek EVO3 Aquarius



2015 Lite Magazine
IsoTek EVO3 Syncro



2015 Hi-Fi Choice
Recommended
IsoTek EVO3 Sequel



2015 Hi-Fi Choice
5-Star Winner
IsoTek EVO3 Sequel



2015 Hi-Fi Choice
Recommended
IsoTek EVO3 Sigmas



2015 Hi-Fi Choice
5-Star Winner
IsoTek EVO3 Sigmas



2015 i-fidelity.net
IsoTek EVO3 Aquarius
Testurteil: sehr gut



2015 Fidelity magazine
IsoTek EVO3 Aquarius



2014 Hi-Fi Magazine HK
Product of the Year
IsoTek EVO3 Mosaic Genesis



2014 Lite Magazine
Recommended
IsoTek EVO3 Polaris



2014 Lite Magazine
Recommended
IsoTek EVO3 Premier



2014 Lite Magazine
Recommended
IsoTek EVO3 Mini Mira



2014 Hi-Fi Choice
Recommended
IsoTek EVO3 Optimum



2014 Hi-Fi World
5-Globe Winner
IsoTek EVO3 Sigmas



2014 Hi-Fi Choice
5-Star Winner
IsoTek EVO3 Optimum



2014 Hi-Fi World
5-Globe Winner
IsoTek EVO3 Titan



2013 HiFi Pig
Recommended
IsoTek EVO3 Premier



2013 Hi-Fi+
Recommended
IsoTek EVO3 Elite



2013 HiFiCRITIC
Recommended
IsoTek EVO3 Premier



2013 Hi-Fi World
5-Globe Winner
IsoTek EVO3 Elite



2013 Hi-Fi Choice
5-Star Winner
IsoTek EVO3 Premier



2013 Hi-Fi Choice
Recommended
IsoTek EVO3 Premier



2013 Hi-Fi Choice
5-Star Winner
IsoTek EVO3 Polaris



2013 Hi-Fi World
5-Globe Winner
IsoTek EVO3 Genesis



2013 Hi-Fi Choice
5-Star Winner
IsoTek EVO3 Premier



2013 Hi-Fi Choice
Recommended
IsoTek EVO3 Premier



2013 Hi-Fi Voice
Product of the Year – 3rd Place
IsoTek EVO3 Aquarius



2013 Tone Audio
Product of the Year
IsoTek EVO3 Super Titan



2013 Hi-Fi Choice
Recommended
IsoTek EVO3 Polaris



2013 Hi-Fi Voice
Product of the Year
IsoTek EVO3 Genesis



2012 Hi-Fi News
Highly Commended
IsoTek EVO3 Genesis



2012 Hi-Fi Choice
Recommended
IsoTek Ultimate Set-up Disc



2012 Hi-Fi World
5-Globe Winner
IsoTek EVO3 Solus



2012 Hi-Fi Voice
1st Place Winner – IsoTek
Accessories Brand of the Year



2011 Hi-Fi Plus
Highly Commended
IsoTek EVO3 Aquarius



2011 Hi-Fi World
5-Globe Winner
IsoTek EVO3 Super Titan



2011 Hi-Fi Choice
Recommended
IsoTek EVO3 Solus



2011 Hi-Fi Voice
1st Place Winner
IsoTek EVO3 Aquarius



2011 Hi-Fi World
5-Globe Winner
IsoTek EVO3 Aquarius



2011 Hi-Fi+
Best of Best
IsoTek EVO3 Aquarius



2010 Hi-Fi World
5-Globe Winner
IsoTek EVO3 Aquarius



2010 Hi-Fi+
Highly Commended
IsoTek EVO3 Aquarius



2010 What Hi-Fi?
Best Product
Ultimate Guide to TV
IsoTek GII Vision



2008 Hi-Fi Choice
Best Buy
IsoTek EVO3 Sirius



2008 What Hi-Fi?
Best Cost-No-Option
Ultimate Guide
IsoTek GII Titan



2008 What Hi-Fi?
Best Allrounder
Ultimate Guide
IsoTek GII Mini-Sub



2008 Hi-Fi World
5-Globe Winner
IsoTek EVO3 Sirius



2008 Tech Radar
IsoTek EVO3 Sirius



"I was truly amazed at how much of an improvement the EV03 Sigmis is over the previous model. This product is truly awesome and can be regarded as an essential purchase."

IsoTek EV03 Sigmis – Hi-Fi World



"Accessory of the year 2013."
IsoTek EV03 Genesis – Hi-Fi Voice



"I was blown away... As the results show, overall distortion is less than a twentieth of that from the mains supply – an excellent result."
IsoTek EV03 Genesis Hi-Fi News



"The EV03 Optimum turns in an extremely impressive performance. The improvement it makes is profound and should leave no one in any doubt about the importance of mains power."

IsoTek EV03 Optimum Hi-Fi Choice



"A real buy recommendation for owners of better TV sets or high-quality projectors that still want to tease out the very best image quality."
IsoTek EV03 Mini Mira Lite Magazine, Germany

The power cleaning specialist

IsoTek's unique technologies win more awards than any similar brand. A small selection of accolades from around the world...



"This power cable is a no-brainer as far as I am concerned – the benefits of high-end power cable design, but without the high price. Recommended!"

IsoTek EV03 Premier – HiFi Pig



"A top quality cable."
IsoTek EV03 Elite – Hi-Fi World



"We would not hesitate to suggest the Sirius as an effective upgrade for any system."
IsoTek EVO 3 Sirius – Hi-Fi Choice

ALPHA



A discreet 1U (44.5mm) high rack width component, offering full system control of connected electronics through RS232, LAN, Bluetooth and over WiFi with a Smartphone App. Alpha features six C14 IEC output sockets along with RS232 via traditional and USB ports, LAN Ethernet port for WiFi control and antenna supporting Bluetooth. Alpha protects connected equipment up to 40000A. Input power is via standard IEC C15/16 connection.

- Name each outlet with connected electronics
- Turn on / off each outlet independently
- Remote reboot and sequential start-up
- Programmable delay times between each outlet upon start-up
- Control each outlet independently with date and time start-up
- Combine two or more units into named groups
- Manage power usage and overview power consumption
- Protection against power surges and voltage spikes
- Control through RS232, LAN, Bluetooth and over WiFi with a Smartphone App

SPECIFICATIONS

Output sockets:	6
Outlet socket style:	C14 IEC
Mains voltage:	100-240V / 50-60Hz
Amperage:	10A
Total (continuous) power:	2300W (230V) / 1150W (115V)
Protection rating:	40000A
Dimensions:	448 x 180 x 44.5mm (W x D x H)

BETA



A 2U (89mm) high rack width component, offering full system control of connected electronics through RS232, LAN, Bluetooth and over WiFi with a Smartphone App. Beta features six UK (BS 1363), European Schuko or American 3-pin output sockets along with RS232 via traditional and USB ports, LAN Ethernet port for WiFi control and antenna supporting Bluetooth. Input power is via standard IEC C15/16 connection. Beta also reduces Differential and Common Mode mains noise. Each output socket is independently cleaned avoiding mains noise cross contamination between connected electronics. Beta protects connected equipment up to 54000A.

- Name each outlet with connected electronics
- Turn on / off each outlet independently
- Remote reboot and sequential start-up
- Programmable delay times between each outlet upon start-up
- Control each outlet independently with date and time start-up
- Combine two or more units into named groups
- Manage power usage and overview power consumption
- Protection against power surges and voltage spikes
- Power cleaning network and RFI reduction of 45dB
- Control through RS232, LAN, Bluetooth and over WiFi with a Smartphone App

SPECIFICATIONS

Output sockets:	6
Outlet socket style:	UK (BS 1363), EU Schuko, US 3-pin
Mains voltage:	100-240V / 50-60Hz
Amperage:	10A
Total (continuous) power:	2300W (230V) / 1150W (115V)
Protection rating:	54000A
Dimensions (mm):	448 x 305 x 89 (W x D x H)

THETA



A 2U (89mm) high rack width component, offering full system control of connected electronics through RS232, LAN, Bluetooth and over WiFi with a Smartphone App. Theta features six UK (BS 1363), European Schuko or American 3-pin output sockets along with RS232 via traditional and USB ports, LAN Ethernet port for WiFi control and antenna supporting Bluetooth. Input power is via 16A IEC C19/20 connection. Theta also features a sophisticated circuit to remove both Differential and Common Mode mains noise from each output socket stopping mains noise cross contamination between connected electronics. Theta protects connected equipment up to 67500A.

- Name each outlet with connected electronics
- Turn on / off each outlet independently
- Remote reboot and sequential start-up
- Programmable delay times between each outlet upon start-up
- Control each outlet independently with date and time start-up
- Combine two or more units into named groups
- Manage power usage and overview power consumption
- Protection against power surges and voltage spikes
- Power cleaning network for each outlet and RFI reduction of 60dB
- Control through RS232, LAN, Bluetooth and over WiFi with a Smartphone App

SPECIFICATIONS

Output sockets:	6
Outlet socket style:	UK (BS 1363), EU Schuko, US 3-pin
Mains voltage:	100-240V / 50-60Hz
Amperage:	16A
Total (continuous) power:	3680W (230V) / 1840W (115V)
Protection rating:	67500A
Dimensions (mm):	448 x 305 x 89 (W x D x H)



Alpha



Theta



Beta



	Alpha	Beta	Theta
Output sockets:	6		
Outlet socket style:	C14 IEC	UK (BS 1363), EU Schuko, US 3-pin	
Mains voltage:	100-240V / 50-60Hz		
Amperage:	10A		16A
Total (continuous) power:	2300W (230V) / 1150W (115V)		3680W (230V) / 1840W (115V)
Protection rating:	40000A	54000A	67500A
Dimensions (mm):	448 x 180 x 44.5 (W x D x H)	448 x 305 x 89 (W x D x H)	448 x 305 x 89 (W x D x H)

SMART Power products can be fully controlled in a number of ways including a purpose designed Smartphone App. Name and turn on / off output sockets remotely, set start-up times and time delay durations on re-start. View power consumption and create product groups. Control your power usage for your system or installation.

Available on iOS and Android



Isotek[®]

SMART Power

© 2017 Audio Power Systems GmbH. All rights reserved.

Unauthorised copy or reproduction of any part of this booklet is prohibited and subject to prosecution.

Information contained in this brochure is correct at the time of printing, product improvements will take place from time to time.

