



 **KIMBER KABLE**® www.kimber.com

music in harmony with science since 1979

Kimber Kable

For over three decades, Kimber Kable has led the audio/video cable industry in technology and precision manufacturing. Today, we are more committed than ever to producing products of preeminent technical merit and performance.

Kimber Kable products are created using our own OSCaR™ engineering process. OSCaR™ stands for Objective Subjective Correlation and Results. Through this process we make the estimable and critical link between scientific measurements and listening impressions. This process is aided in great measure by our exceptionally advanced test and research facility, which is regarded as one of the most well equipped in the audio industry. In addition, Kimber Kable has a vast research library which allows our engineering team access to past research as well as the latest technologies.


Our passion for cables is rooted in a simple philosophy: develop and manufacture products that offer the highest correlation of performance and price. To reach this goal with each of our products requires extraordinary dedication, engineering and team work. This philosophy has required us to invest a large percentage of our resources in technological developments, in-depth research and innovative manufacturing techniques.

Our hope is that the cables presented in this brochure help to enrich your home entertainment experience. If your passion for music or video presentation increases, as has ours, then we have done our job. There is nothing quite like experiencing a musical performance presented with all of music's natural timbre, lifelike tonality and dimensional locale. These experiences have changed our lives and persuaded us to make the reproduction of audio and video our lifelong pursuit.

Ray Kimber



Handcrafted cables since 1979



What do we do here at Kimber Kable? The same thing we've been doing for over 30 years; making some of the finest audio and video cables available.

We make cables for the neophyte who wants to hear their music more naturally, the college student who finally has a Hi-fi system of their own, the guy who delights in finding the best bang for the buck, and the discerning buyer who wants the very best. We have all traveled through these categories at some point and Kimber Kable makes something for everyone.

It seems that there is a push in the manufacturing world to produce goods faster and cheaper at the cost of overall quality. We are bucking the trend and choosing to stay true to the science and methods that have sustained us for all these years. The fact is that our cables cover a wide price and performance range. We have always sought to deliver the industry's highest value at any given price and are constantly seeking improvement without losing sight of our roots. Our forward thinking and innovation keep us relevant without requiring complete reinvention.

The techniques we use to make everything from our entry level Tonik interconnect to the Kimber Select range of cables are similar. The materials and methods get more complex as you go up the line, but the basic motions remain the same. We've never found an automated method to serve as a viable replacement for the hands of skilled craftsmen. Genuine Kimber Kable products have always come from our factory in Ogden Utah. We are proud to know that our name represents the same thing to every customer: performance, quality, reliability, and integrity.



Audio Interconnects



Tonik
PE dielectric
VariStrand™
copper
Tri-braid
geometry



PBJ
Red, Blue &
Black Teflon®
dielectric
VariStrand™ copper
Tri-braid geometry



Timbre
Clear
Teflon®
dielectric



Cadence
Subwoofer Cable
Stranded copper
center conductor
100% copper
shield



Hero
Dual Teflon®
dielectric
VariStrand™
copper



Hero HB
Clear Teflon®
dielectric
VariStrand™
copper & silver
GyroQuadratic braid geometry



Hero AG
Clear Teflon®
dielectric
VariStrand™
silver



Silver Streak
Black & Clear
Teflon® dielectric
VariStrand™
copper & silver
Tri-braid
geometry



KCAG
Clear Teflon® dielectric
VariStrand™ Silver
Tri-braid
geometry



KCTG
Hex-braid
geometry

Audio Interconnects



Tak CU

White & Yellow
Teflon® dielectric

VariStrand™ copper

Tak H

Black & Clear
Teflon® dielectric

VariStrand™ copper & silver

Tak AG

Clear Teflon®
dielectric

VariStrand™ silver

GQ-Mini CU

White & Yellow
Teflon® dielectric

VariStrand™ copper

GQ-Mini HB

Black & Clear
Teflon® dielectric

VariStrand™ copper & silver

GQ-Mini AG

Clear Teflon®
dielectric

VariStrand™ silver

GyroQuadratic braid geometry, CuBe2 shielding, Phono/tone arm cable

GyroQuadratic braid geometry

Digital / Video Interconnects



SV-CU

White & yellow
Teflon® dielectric
Solid core copper

Twin Tri-braid geometry

CuBe2 shielding

SV-AG

Clear Teflon®
dielectric
Solid core silver

V-21

PE dielectric
Solid core copper
center conductor

DV-30

Air-articulated
Teflon® dielectric
Solid core copper
center conductor

Wire & foil shields

DV-75

Teflon® dielectric
Silver plated center
conductor

D-60

Air-articulated
Teflon® dielectric
All silver
construction

Twin helically
wound shields

OPT1

Toslink™ Cable
PMMA light
conductor

Warp resistant
thermal barrier

Orchid

Teflon® dielectric
All silver
construction

Proprietary
geometry

AGDL

Clear Teflon® Dielectric
VariStrand™ Silver conductors

Tri-braid
geometry

TGDL

Hex-braid
geometry

Digital / Video Interconnects



HD09

HD19

HD29

Air-articulated PE dielectric

pure copper
conductors

Silver plated
pure copper
conductors

Silver plated(6.1%)
pure copper
conductors

High Speed rated, Tri-shield design

B-BUS

Mini

Nitrogen injected HDPE dielectric

Silver plated(6.1%) signal conductors

Copper drain & shield wire

Point to point grounding

Ferrite noise reduction beads

B-BUS AG

Mini AG

Nitrogen injected HDPE dielectric

Pure silver signal conductors

Silver-plated(6.1%) drain & shield wire

Point to point grounding

Ferrite noise reduction beads optional

Loudspeaker Cables



4PR

8PR

PE dielectric

Stranded copper

8 wire braid

16 wire braid

2 x 14awg

2 x 10awg

4VS

8VS

PE dielectric

VariStrand™ copper

8 wire braid

16 wire braid

2 x 13awg

2 x 9awg

4TC

8TC

12TC

Clear & white Teflon® dielectric

VariStrand™ copper

8 wire braid

16 wire braid

24 wire braid

2 x 13awg

2 x 9awg

2 x 8awg

4HB

8HB

Clear Teflon® dielectric

VariStrand™ copper & silver

8 wire braid

16 wire braid

2 x 13awg

2 x 9awg

4AG

8AG

Clear Teflon® dielectric

VariStrand™ silver

8 wire braid

16 wire braid

2 x 14awg

2 x 10awg

Loudspeaker Cables



TriFocal X

PE & Teflon® dielectric

VariStrand™ copper

X38R compound

2 x 7.5awg

28 discrete conductors

TriFocal XL

2 x 3awg

42 discrete conductors

BiFocal X

PE & Teflon® dielectric

VariStrand™ copper

X38R compound

2 x 9awg

18 discrete conductors

BiFocal XL

2 x 5.5awg

36 discrete conductors

Monocle X

PE & Teflon® dielectric

VariStrand™ copper

X38R compound

2 x 10awg

16 discrete conductors

Monocle XL

2 x 8awg

24 discrete conductors

PowerKords



PK14

PK14 Gold

PK14 Palladian

Chroma free dielectric, Stranded copper, 3 x 14awg

Wattgate Economy
connectors

Wattgate Audio Grade gold
or silver connectors

Wattgate Audio Grade gold
or silver connectors

Proprietary noise
suppression technology

PK10

PK10 Gold

PK10 Palladian


Chroma free dielectric, Stranded copper, 3 x 10awg

Wattgate Economy
connectors

Wattgate Audio Grade gold
or silver connectors

Wattgate Audio Grade gold
or silver connectors

Proprietary noise
suppression technology



VSSS

PE colors: black, gray, white, clear

VariStrand™ copper

19awg

TCX

Teflon® colors: black, brown, red, orange, yellow, green, blue, violet, gray, white, clear*

X-VariStrand™ copper

15awg

TCSS

VariStrand™ copper

19awg

10kTCSS

Teflon® colors: black, red, blue

VariStrand™ copper

19awg

SF23

Teflon® colors: clear

Solid flat copper

23awg

DTC23

Dual Teflon® colors: red, orange

Solid core copper

23awg

DTC19

Dual Teflon® colors: black, red, white

VariStrand™ copper

19awg

CU25SC

Teflon® colors: white, clear

Solid core copper

25awg

AGSS

Teflon® colors: clear

VariStrand™ silver

20awg

AG25SC

Teflon® colors: clear

Solid core silver

25awg

KWIK16 KWIK12

Special formula PE dielectric

Stranded copper

Dual gauge stranded construction

2 x 16awg

2 x 12awg

*TCX is not available in clear Teflon®

Connectors

Visit www.timber.com or call (801-621-5530) to find out which termination options are available per product.



"F" type*



BNC type*



BNC type*



Female



Digital



Black



Standard



Ultralike



XLR type* 1/4" Phono*



1/8" Mini*



1/8" Mini*



WBT-0147



WBT-0144



WBT-0102

Nickel
Plated

Gold
Plated

AG

CU



REL
subwoofer



SME 90° DIN



DIN



PAL*



KRELL
CAST

*Male and female versions available



Spade



SBAN



PM25

Postmaster



PM33



PMN3



PM25

Postmaster CU



PM33



PMN3



WBT-0600



WBT-0644



WBT-0645



WBT-0610



CU

AG



WBT-0661



CU

AG



WBT-0681

CU

AG



360i



5266i



320i



Wattgate Economy



320i HC



390i AG



330i AG



350i AG



350i HC AG



390i



330i



350i



350i HC

Wattgate Audio Grade Silver

Wattgate Audio Grade Gold

Notes: connectors are not to scale

Jumpers

KS 9033

Clear Teflon® dielectric
VariStrand™ copper
Hex-braid geometry



KS 9035

Clear Teflon® dielectric
VariStrand™
copper & silver
Hex-braid geometry



KS 9038

Clear Teflon® dielectric
VariStrand™ silver
Hex-braid geometry



Phono & Digital Cables

KS 1230 or KS1236

Clear Teflon® dielectric

Solid core silver

Constrained matrix geometry

KS 1236

8 discrete conductors

KS 1230

5 discrete conductors

KS 1236 pictured



KS 2020

Clear Teflon® dielectric

Solid core silver

Digital single ended interconnect

KS 2120

Clear Teflon® dielectric

Solid core silver

Digital balanced interconnect

Loudspeaker Cables

KS 3033

Clear Teflon® dielectric

VariStrand™ copper

Constrained matrix
geometry

12 discrete conductors



KS 3035

Clear Teflon® dielectric

VariStrand™
copper & silver

Constrained matrix
geometry

12 discrete conductors



KS 3038

Clear Teflon® dielectric

VariStrand™ silver

Constrained matrix
geometry

12 discrete conductors



Loudspeaker Cables

KS 6063

Clear Teflon® dielectric

VariStrand™ &
solid core copper

Multi-layer constrained
matrix geometry

24 discrete conductors

KS 6065

Clear Teflon® dielectric

VariStrand™ & solid core
copper & silver

Multi-layer constrained
matrix geometry

24 discrete conductors

KS 6068

Clear Teflon® dielectric

VariStrand™ &
solid core silver

Multi-layer constrained
matrix geometry

24 discrete conductors



Balanced Interconnects

KS 1111

Clear Teflon® dielectric

Solid core copper

Constrained matrix geometry

4 discrete conductors



KS 1116

Clear Teflon® dielectric

Solid core copper

Constrained matrix geometry

6 discrete conductors



KS 1121

Clear Teflon® dielectric

Solid core copper & silver

Constrained matrix geometry

4 discrete conductors



Balanced Interconnects

KS 1126

Clear Teflon® dielectric

Solid core
copper & silver

Constrained matrix
geometry

6 discrete conductors



KS 1130

Clear Teflon® dielectric

Solid core silver

Constrained matrix
geometry

4 discrete conductors



KS 1136

Clear Teflon® dielectric

Solid core silver

Constrained matrix
geometry

6 discrete conductors



Single ended Interconnects

KS 1011

Clear Teflon® dielectric

Solid core copper

Constrained matrix
geometry

4 discrete conductors



KS 1016

Clear Teflon® dielectric

Solid core copper

Constrained matrix
geometry

6 discrete conductors



KS 1021

Clear Teflon® dielectric

Solid core
copper & silver

Constrained matrix
geometry

4 discrete conductors



Single ended Interconnects



KS 1026

Clear Teflon® dielectric

Solid core
copper & silver

Constrained matrix
geometry

6 discrete conductors



KS 1030

Clear Teflon® dielectric

Solid core silver

Constrained matrix
geometry

4 discrete conductors



KS 1036

Clear Teflon® dielectric

Solid core silver

Constrained matrix
geometry

6 discrete conductors

Select story

In 1979 Ray Kimber introduced Kimber Kable and 4PR loudspeaker cable to the world. This catalog, featuring our latest Kimber Select products, is evidence of our continuing quest to manufacture the finest cable products.


Utilizing our OSCaR (*Objective, Subjective, Correlation, and Results*) engineering process, Kimber Select represents the pinnacle of research regarding signal propagation and the environment in which it exists. Kimber Select is an evolving realization of new discoveries and the expression of superior ideals.

The quality of personal involvement and passion present within Kimber Select and Kimber Kable ensures continuing innovation and exploration into the transfer of musical signals.

Kimber Kable's ability to research and develop products based on correct and identifiable principles is essential. It is the correlation of these objective findings to the subjective, musical performance of the product that ensures Kimber Kable the position of industry leader and preeminent innovator.

Ray Kimber and the Kimber Select design and production teams invite you to experience the emotion and precision of Kimber Select.

Call (801-621-5530) or email (info@kimber.com) us to locate an exclusive Kimber Select retailer in your area. www.kimber.com



Single ended



Kimber Select single ended analog interconnects are exquisite. Conductors are applied to the surface of our proprietary core and held in a constrained matrix. The matrix, consisting of our ESD yarn, is applied simultaneously with the conductors to ensure precise geometric relationships.

Balanced



Kimber Select balanced analog interconnects are designed specifically for differential signal transmission. Grounding is established via a dual concentric core. EMI and RFI rejection is accomplished through precise electric/geometric relationships and not through the use of signal distorting metallic screens.

Loudspeaker



Kimber Select loudspeaker cables represent the culmination of all research and development efforts. Our unique constrained matrix geometry is woven over proprietary X38R core to provide both mechanical and electrical dampening beyond what was ever thought possible.

Phono/tone arm



Kimber Select phono cables utilize constrained matrix geometry and proprietary core technology. A flying ground lead is then hand woven to complete the most exacting cable. Available in RCA to RCA as well as DIN configurations in copper, hybrid and full silver.

Digital



Kimber Select digital cables are optimized for binary transmission. Solid core silver conductors and ESD yarn in constrained matrix geometry provide the deep black backgrounds that today's digital sources demand.

Jumpers



Kimber Select jumpers provide that critical last link in the signal path. The jumpers are comprised of the same exacting materials as Kimber Select loudspeaker cables to allow perfect signal transmission from start to end.



 KIMBER KABLE

Select

www.kimber.com

music in harmony with science since 1979