



Krell setup with 302e Power Amp.,
new Master Reference subwoofer and Modulari Primo Reference Monitors



KRELL
THE LEADER IN AUDIO ENGINEERING

Krell new S-550i Stereo Integrated Amplifier
and Phantom III Stereo PreAmplifier



KRELL
THE LEADER IN AUDIO ENGINEERING

Krell S-300i Int.Amp and S-350A CD Player
with EVO-2250e Stereo and EVO-3250e 3 Channel Pow.Amp's

Evolution 402e Stereo Amplifier

- 100-watt stereo power (8 ohms) per channel @ 1 kHz
- 20 Hz - 20 kHz bandwidth (20 Hz to 20 kHz)
- 100 dB dynamic range (100 dB)
- 100 dB signal-to-noise ratio (100 dB)
- 100 dB THD (Total Harmonic Distortion) (100 dB)
- 100 dB SINAD (Signal-to-Noise and Intermodulation Distortion) (100 dB)
- 100 dB PSRR (Power Supply Rejection Ratio) (100 dB)
- 100 dB CMRR (Common Mode Rejection Ratio) (100 dB)
- 100 dB PSRR (Power Supply Rejection Ratio) (100 dB)
- 100 dB CMRR (Common Mode Rejection Ratio) (100 dB)

Evolution 402e \$1,200



Krell EVO 402e Stereo Power Amplifier



Krell EVO 707 PreAmp / Processor



Evolution 400e Mono Power Amplifier

Evolution 400e Mono Power Amplifier

Evolution 400e Mono Power Amplifier

Evolution 400e Mono Power Amplifier

Evolution 400e Mono Power Amplifier

Evolution 400e Mono Power Amplifier



KRELL

THE LEADER IN AUDIO ENGINEERING

Krell EVO 400e Mono Power Amplifiers



Krell setup with 302e Power Amp.,
new Master Reference subwoofer and Modularj Primo Reference Monitors



KRELL

Krell new S-550i Integrated Amp
and Phantom II Pre Amp

THE LEADER IN AUDIO