



PRIMARE

HIFI, HEIMKINO UND STREAMING-ELEKTRONIK AUS SCHWEDEN



PRIMARE

inakustik

KABEL | LAUTSPRECHER | MUSIK

PIEGA
SWITZERLAND



IN DER VORFÜHRUNG:
Primare P12 Lautsprecher
PIEGA Innoventilator
Primare Stereo Endstufe
PIEGA 10000 Subwoofer
PIEGA 15-2004 Lautsprecherkabel
PIEGA Lautsprecherkabel





PRIMARE

HIFI, HEIMKINO UND STREAMING-ELEKTRONIK AUS SCHWEDEN





That's German
Engineering!





404

schichten Innovation im
katapultiert die in-akustik
neue Geräteverbindung
NF-2404 an die Spitze der
Strecken 09-2015





...HEIMKINO UND STREAMING-ELEKTRONIK AUS SCHWEDEN



und and



the sound





PRE32 PREAMP

PRE32 is a high-end stereo preamplifier with a wide range of features and options. It is designed to provide the best possible sound quality and performance.

Features include:

- 24-bit digital processing
- 500,000Hz bandwidth
- 100dB dynamic range
- Low noise floor
- High resolution
- Wide frequency response
- Low distortion
- High slew rate
- Low jitter
- High accuracy
- Low power consumption
- High reliability
- Low heat generation
- High stability
- Low aging
- High longevity
- Low maintenance
- High performance
- Low cost
- High value
- Low risk
- High satisfaction

CD32 CD PLAYER

CD32 is a high-end stereo CD player with a wide range of features and options. It is designed to provide the best possible sound quality and performance.

Features include:

- 24-bit digital processing
- 500,000Hz bandwidth
- 100dB dynamic range
- Low noise floor
- High resolution
- Wide frequency response
- Low distortion
- High slew rate
- Low jitter
- High accuracy
- Low power consumption
- High reliability
- Low heat generation
- High stability
- Low aging
- High longevity
- Low maintenance
- High performance
- Low cost
- High value
- Low risk
- High satisfaction

A32.3 POWER AMP

A32.3 is a high-end stereo power amplifier with a wide range of features and options. It is designed to provide the best possible sound quality and performance.

Features include:

- 24-bit digital processing
- 500,000Hz bandwidth
- 100dB dynamic range
- Low noise floor
- High resolution
- Wide frequency response
- Low distortion
- High slew rate
- Low jitter
- High accuracy
- Low power consumption
- High reliability
- Low heat generation
- High stability
- Low aging
- High longevity
- Low maintenance
- High performance
- Low cost
- High value
- Low risk
- High satisfaction

ROZDZIAŁ

Ważne informacje o tym, jak prawidłowo korzystać z...
Ważne informacje o tym, jak prawidłowo korzystać z...
Ważne informacje o tym, jak prawidłowo korzystać z...





















THE SOUND DIFFERENCE

... ..

HQ
... ..
80730
... ..
VOICES

REFERENCE SOUND EDITION
... ..
20,- EUR*
... ..

HQ
... ..
80730
... ..
SONG

PRIMARE



A00



