

P R I M A R E



A 35.2



MANUFACTURER  
PRIMARE AB  
LIMSTENSGATAN 7  
21616 LIMHAMN  
SWEDEN



CAUTION  
RISK OF ELECTRIC SHOCK  
DO NOT OPEN



ATTENTION:  
UTILISER UN FUSIBLE  
DE RECHANGE  
MEME TYPE

CAUTION:  
TO REDUCE THE RISK  
OF FIRE, REPLACE WITH  
THE SAME TYPE AND  
RATING OF FUSE

A35.2 POWER AMPLIFIER  
DESIGNED IN SWEDEN

TRIG IN



TRIG OUT



SENSE

OFF



ON



INPUT

RCA



OUTPUT

2 CHANNEL



NORMAL



GAIN

4.6dB



BRIDGED



ONLY BRIDGED MODE

UNBALANCED



R RCA L

ANALOG INPUT

BALANCED



R XLR L

RIGHT SPEAKER



LEFT SPEAKER



+

-

CLASS 2 WIRING

+

-

SHORT


SPEAKER

0

I



VOLTAGE  
100-240V AC 50/60Hz 800W  
FUSE  
T10AL/250V



OM60 Main board  
V1.0 20160717

RoHS

PRIMAER  
P90000702

600V 1000PF  
600V 1000PF

600V 1000PF  
600V 1000PF

4.22V 9.5F

1000PF  
1000PF

1000PF  
1000PF

1000PF  
1000PF

1000PF  
1000PF

1000PF  
1000PF

1000PF  
1000PF

1000PF  
1000PF

1000PF  
1000PF

1000PF  
1000PF

1000PF  
1000PF

1000PF  
1000PF

1000PF  
1000PF