



P R I M A R E

DIGITAL INPUT

1 2 3 4 5

SAMPLE RATE

44 48 88 96 176 192

DAC 30

SELECTOR





P R I M A R E

DIGITAL INPUT

1 2 3 4 5

SAMPLE RATE

44 48 88 96 176 192

DAC 30

SELECTOR

G



⚡ CAUTION ⚡  
RISK OF ELECTRIC SHOCK  
DO NOT OPEN

CE



DAC 30  
PRIMARE AB  
DESIGNED IN SWEDEN

ON

OFF

CAUTION: TO REDUCE THE RISK OF FIRE,  
REPLACE WITH ONLY THE SAME TYPE AND RATING OF FUSE.  
ATTENTION: UTILISER UN FUSIBLE DE RECHANGE MEME TYPE.



**CAUTION**  
RISK OF ELECTRIC SHOCK  
DO NOT OPEN

CE



DAC 30  
PRIMARE AB  
DESIGNED IN SWEDEN

DIGITAL OUT

CAUTION: TO REDUCE THE RISK OF FIRE,  
REPLACE WITH ONLY THE SAME TYPE AND RATING OF FUSE.  
ATTENTION: UTILISER UN FUSIBLE DE REMPLACEMENT MEME TYPE