

SOUNDSATIONELL

IN-AKUSTIK. PERFEKTER KLANG AUS EINER HAND

inakustik

PIEGA



storic

PIEGA COAX 511

PRIMARE I35 PRISMA & CD35 PRISMA

IN-AKUSTIK REFERENZ LS-4004 AIR & NF-2404 AIR

IN-AKUSTIK REFERENZ POWER STATION AC-3500P

STOIC WANDHALTER



P R I M A R E

SELECTOR




VOLUME




135




PRIMARE



CS300
Integrated amp with 150w LFMC 2 and 12.8 inputs
CS DAC
CS with digital to analog converter
CS PREGMA €4500
CS DAC with Primare control and connectivity




CS305
balanced output component disc player
CS30 PREGMA €2900
CS305 with PREGMA control and connectivity




CS305 and CS305 PREGMA in slip and of slip

The sound and vision of Scandinavia



PRIMARE



DD35
Integrated amp with 100Wx2 (DPO 2) £3400



DD33 amp
2x 60W, digital by switching converter £3000




DD32 Preamp
2x 60W, with Phono control and connectivity £2600

DD32
CD transport £1900


DD35 amp with 100Wx2 is the most of them
The sound and state of Transcendence





P R I M A R E



SC13 PREGMA €1500
System control center with PREGMA control and connectivity and WGLA wireless speaker connection




SC13 CD Manager €1250




SC13 Prime and SC13 in step and a line


The sound and vision of Scandinavia




P R I M A R E



IIS PRIMA
Integrated amp with 80w and PRIMA control and connectivity
€1750




CD13 PRIMA
CD player with PRIMA control and connectivity
€1750



IIS Prima and CD13 Prima to slip and of case

The sound and vision of Excellence







1. Connect the network cable to the back of the unit.
2. Power on the unit.
3. The unit will automatically connect to the network.
4. The unit will be ready to use.

PRIMARE

Configure network

PRIMARE

Model 4
Last Year 2021

PRIMARE
THE SOUND AND VISION
SPRING 2018




PRIMARE
Configure network
TB



PRIMARE
Configure network
CDH

PRIMARE
THE SOUND



PRIMARE



115 PRISMA
Integrated amp with 60w and PRISMA control and connectivity **€1750**



CD 15 PRISMA
CD player with PRISMA control and connectivity **€750**



115 Power and CD 15 Power to ship with of one

The sound and vision of Scandinavia.



P R I M A R E



SC15 PREGMA r1300
system control center with REGMA control and
connectivity and WGA wireless speaker connection



DD13 r1330
CD transport



SC13 Preamp and DD13 to the end of line

The sound and vision of Scandinavia



PRIMAIRE



023
Integrated amp with 100W (PRE 2) €3400
023 DAC €2000
023 with digital to analog converter €2400
023 PRE2/4 €2400
023 DAC, with Primaire control and connectivity €2400




023S
CD transport €1700



023 also does TIDAL to play well in MQA

The sound and vision of Sonoborneo





P R I M A R I E



CS5 Integrated amp with 150w LFPA2 and 22 inputs #3900
 CS5 DAC #4100
 CS5 with digital to analog converter #4500
 CS5 PDSMA #4500
 CS5 DAC with Prisma control and connectivity



CD35 balanced output compact disc player #2800
 CD35 PDSMA #3200
 CD35 with Prisma control and connectivity



CS Prisma and CS5 Prisma to slip out of slip

The sound and vision of Scandinavia






Diagram of a component with a horizontal bar and a vertical line.

Model	1000
Power	1000
Frequency	1000
Gain	1000

Icons: a triangle, a square, and a circle.

Small text: "Pioneer Hi-Fi Components"

Logo: A circular logo with a stylized 'P'.

PIONEER

VOLUME



P R I M A R E



I25 €2400
Integrated amplifier with 100w LFSD 2
I25 DAC €3000
I25 with digital to analog converter
I25 PRIMA €3400
I25 DAC with Prisma control and connectivity



The sound and vision of Scandinavia



P R I M A R E


VOLUME




I25

primare











CON

ANT1

LAN IN LAN OUT

USB

ANT2

D6

D7

D8

D9

D10

D11

PC/MAC

135 INTEGRATED AMPLIFIER
DESIGNED IN SWEDEN

The above model is for CLASS 2 Audio.
It is not intended for use in Class 1 or Class 2
environments. The use of this device in Class 1 or Class 2
environments may cause interference with other
equipment. For more information, please
contact the manufacturer.

CAUTION
AVC

CAUTION
TO REDUCE THE RISK
OF FIRE, REMOVE THE
BATTERIES FROM THE
DEVICE IMMEDIATELY
AFTER STOPPING USE.

ATTENTION
TO REDUCE THE RISK
OF FIRE, REMOVE THE
BATTERIES IMMEDIATELY
AFTER STOPPING USE.



TRIG

RS232

OUT

IR OUT

R

A1

L

R

A2

L

A3

A4

L

R

LINE

PRE

+

-

+

-

+

-

+

-

CLASS 2 SPEAKERS

AVC
CLASS 2 SPEAKERS
AVC
CLASS 2 SPEAKERS

PIEGA COAX 511
PRIMARE I35 PRISMA & CD35 PRISMA
IN-AKUSTIK REFERENZ LS-4004 AIR & NF-2404 AIR
IN-AKUSTIK REFERENZ POWER STATION AC-3500P
STOIC WANDHALTER

